

Miracles that happen right under your roof



HANBUD

Roofing catalogue

for *smart* builders



Choosing a roofing material should be a well-thought-out and wise decision.

Nothing happens right away... every day you get up, go to work, then home – to the children, the family. You try to find time for your passions – running, playing guitar, painting, cooking, dancing, playing board games or barbecuing. With a million errands, activities and events along the way, life rushes by and you rush along with it. Meanwhile, you need time and a cool head for certain choices.



When you're building a house, it's hard to do things on the spur of the moment, improvising without a plan. You can easily get lost in the plethora of information. The most important thing is not to go crazy, to be yourself and to choose wisely.

If you want to make the best choice, our roofing will meet your expectations to the letter. We realise that construction costs are never ending. We minimise them by offering excellent products at an affordable price.

Even if you haven't hit the jackpot, **PREMIUM** coating is within your reach. Your roof will be the pride of us all, and you will have peace of mind and a 50-year guarantee.

You need to choose your roof with a cool head, you just need to know where to go and with whom. Visit us, call us, write to us. We will tell you everything, advise you, help you. You won't find such service anywhere else. The **HANBUD** team are people with passion – just like you.

Let's do it together – it'll work out better that way.



1. you have a choice	3
2. modular metal roofing tiles	4
3. claro modular – modular metal roofing tiles	6
4. retto – modular metal roofing tiles	8
5. moderno – modular metal roofing tiles	10
6. vena modular – modular metal roofing tiles	12
7. made-to-measure metal roofing tiles	14
8. claro – made-to-measure metal roofing tiles	16
9. argilla – made-to-measure metal roofing tiles	18
10. malta – made-to-measure metal roofing tiles	20
11. vena – made-to-measure metal roofing tiles	22
12. PHR revolution seam panel	24
13. PHR Revolution 355	26
14. PHR Revolution 560	30
15. flashing – seam panel	34
16. troughed sheet	36
17. flashing	40
18. colours	42
19. protective coatings	43
20. comfort of choice	44
21. technical parameters	45
22. it won't do itself, a few words about us	46



Each solution has its own advantages.




you have a choice

modular metal roofing tiles



člaro modular



retto




moderno




vena modular


made-to-measure metal roofing tiles




člaro



argilla



malta



vena

troughed sheet



T3 - T55

seam panel



PHR 355 Revolution



PHR 560 Revolution



For colour schemes and information on protective coatings, see pages 42 - 43.

metal roofing tiles modular – a perfect fit

When you are building the most important place in your life, you do it as best as you can. With those who, like you, understand the need for security and comfort, providing the best solutions available.

For everyone, no matter in which direction they are currently heading. We share a common goal.



HANBUD modular metal roofing tiles are:

- convenient, uniform sheets with easy accessibility,
- easy to transport and unload on a EURO pallet,
- quick and easy to install thanks to the small sheet size.



A unique look for your roof – simple and distinctive.
The **claro modular** metal roofing tile is a solution that will endure any envious glances

Perfect when you don't need sophisticated solutions, when uniquely simple choices are the best option. When what you want is a roof that never gets old and never gets boring.

In the face of constant change and the constant glances around us, **claro modular** will always be a good-looking choice.

claro modular

It's time for an expressive solution.

claro modular metal roofing tiles are:

- a simple solution that provides above-average possibilities,
- effective width, which reduces the number of sheets needed,
- convenient transport, unloading and storage,
- high resistance to corrosion and weather conditions.



Guarantee of
QUALITY



Easy to
INSTALL



Simple
DESIGN



No water
SYSTEM
undercutting of the first
sheet, no water dripping
under the roof tiles

technical data

profile height	43 mm	sheet length	730 mm
embossing height	30 mm	module weight (0,5 mm)	3,5 kg
usable width	1172 mm	minimum roof slope	14°
overall width	1205 mm		



For colour schemes and information on protective coatings, see pages 42 – 43.

Did you know that the **retto** modular roofing tiles are:

- a full warm flat tile shape, perfect for a family home,
- a large effective width that reduces the number of necessary sheets,
- convenient to transport, unload and store,
- highly resistant to corrosion and weather conditions.



Guarantee of
QUALITY



Easy to
INSTALL




CERAMIC
sheeting pattern



No water
SYSTEM
undercutting of the first
sheet, no water dripping
under the roof tiles

technical data

profile height	58 mm	sheet length	720 mm
embossing height	35 mm	module length	350 mm
usable width	1100 mm	module weight (0,5 mm)	3,5 kg
overall width	1180 mm	minimum roof slope	14°



For colour schemes and information on protective coatings, see pages 42 - 43.



Getting onto a roof is nothing...
But climbing onto a roof covered with **retto** modular
metal tiles is like walking among the stars. It doesn't
seem like much, but it changes everything.

retto is the art of combining dreams with their
fulfilment, classic with modern, where subtle
embossing accentuates the mass of each building
while giving it an individual character.
Your own character.

You can see more from your roof,
and miracles are happening under your roof.





Walk your own paths, like a cat.
Be like Tommy Lee Jones in “The Fugitive”.

So why not choose her for company?
It may seem strange, but that’s just the way she is – a detail-oriented **moderno** modular roofing tile.


Years of experience tell us that it fits perfectly into modern architectural styles.

moderno

Modern designs offer new possibilities.

Remember that the **moderno** modular metal roofing tile is:

- slender embossments ideal for modern and classic styling,
- a large effective width that reduces the number of necessary sheets,
- convenient to transport, unload and store,
- highly resistant to corrosion and weather conditions.



Guarantee of
QUALITY



Easy to
INSTALL



Universal
DESIGN




No water
SYSTEM

undercutting of the first
sheet, no water dripping
under the roof tiles

technical data


profile height	53 mm	sheet length	720 mm
embossing height	35 mm	module length	350 mm
usable width	1150 mm	module weight (0,5 mm)	3,3 kg
overall width	1210 mm	minimum roof slope	14°



For colour schemes and information on protective coatings, see pages 42 - 43.

Did you know that the **vena modular** metal roofing tile is:

- a timeless and minimalist shape,
- a universal and timeless appearance,
- highly resistant to corrosion and weather conditions,
- convenient to transport, unload and store.



Guarantee of
QUALITY



Easy to
INSTALL




Timeless
DESIGN



No water
SYSTEM
undercutting of the first
sheet, no water dripping
under the roof tiles

technical data

profile height	54 mm	module length	350 mm
embossing height	30 mm	sheet length	720 mm
usable width	1135 mm	module weight (0,5 mm)	3,50 kg
overall width	1195 mm	minimum roof slope	14°



For colour schemes and information on protective coatings, see pages 42 - 43.



vena modular – like sea waves on the shore
at sunset.

Unique, tailored and accentuating the shape of the building.
It's like the most beautiful wrapping for a special gift
for the most precious person in the world.

Its universal shape and simple installation are the essence
of a good choice for years to come. It is suitable for both
modern architecture and classic buildings.

A wise choice in every respect.



made-to-measure metal roofing tiles – unlimited possibilities

So many emotions are aroused by a beautiful view reaching to the horizon...
...that's how many possibilities there are with cut-to-size sheet metal,
tailored to specific needs.



Made-to-measure metal roofing tiles provide:

- protective coatings tailored to your needs,
- a wide choice of models and colours,
- a sheet length adapted to the roof slope.



How often do you come to the conclusion that a simple choice is the right choice?

The answer is just as simple – **claro**. This is exactly the case with a made-to-measure roofing tile. As many as you want, in any way you want them and on your own terms.

A simple, universal design, always in vogue, for every home, for every budget, for changing fashions.

The possibilities are virtually endless... the perfect solution.

claro

Simple decisions mean greater opportunities.

Did you know that **claro** metal roofing tiles are:

- a simple solution that provides above-average possibilities,
- effective width, which reduces the number of sheets needed,
- convenient transport, unloading and storage,
- high resistance to corrosion and weather conditions.



Guarantee of
QUALITY



Easy to
INSTALL



Made to
MEASURE



Simple
DESIGN



Attractive
PRICE

technical data – available modules 350/25; 400/25

profile height	38 mm	module length	350 mm / 400 mm
embossing height	25 mm	minimum sheet length	400 mm / 450 mm
usable width	1172 mm	max. recom. sheet length*	5000 mm
overall width	1205 mm	minimum roof slope	14°



For colour schemes and information on protective coatings, see pages 42 – 43.
Maximum recommended sheet length assumed for a sheet thickness of 0.50 mm, more information on page 45.

Did you know that the **argilla** metal roofing tile is:

- a full warm flat tile shape, perfect for a family home,
- a timeless appearance reminiscent of ceramic tiles,
- highly resistant to corrosion and weather conditions.



Guarantee of
QUALITY



Easy to
INSTALL



Made to
MEASURE



CERAMIC
sheeting pattern




No water
SYSTEM

undercutting of the first
sheet, no water dripping
under the roof tiles

technical data - available modules 350/30; 400/30

profile height	58 mm	module length	350 mm / 400 mm
embossing height	30 mm	minimum sheet length	470 mm / 520 mm
usable width	1100 mm	max. recom. sheet length*	5000 mm
overall width	1180 mm	minimum roof slope	14°



For colour schemes and information on protective coatings, see pages 42 - 43.
Maximum recommended sheet length assumed for a sheet thickness of 0.50 mm, more information on page 45.



malta is a modern roofing tile that is the result of many years of practice in roofing design and manufacture.

This experience ensures that the decisions made are the right ones. It's like flying a paraglider, where the most important thing is to trust yourself.


Once you have chosen wisely, you can float peacefully among the clouds.

malta

Experience and practice are a great combination.

Remember that **malta** metal roofing tiles are:

- slender embossments ideal for modern and classic styling,
- highly resistant to corrosion and weather conditions,
- a sheet length adapted to the dimensions of the roof slope.



Guarantee of
QUALITY



Easy to
INSTALL



Made to
MEASURE




Modern
DESIGN



Attractive
PRICE

technical data – available modules 350/30; 400/30

profile height	48 mm	module length	350 mm / 400 mm
embossing height	30 mm	minimum sheet length	470 mm / 520 mm
usable width	1150 mm	max. recommendet sheet length*	5000 mm
overall width	1210 mm	minimum roof slope	14°



For colour schemes and information on protective coatings, see pages 42 - 43.
Maximum recommended sheet length assumed for a sheet thickness of 0.50 mm, more information on page 45.

The **vena** metal roofing tile is:

- a subtle shape reminiscent of waves at sunset,
- convenient to transport, unload and store,
- highly resistant to corrosion and weather conditions.



Guarantee of
QUALITY



Easy to
INSTALL



Made to
MEASURE




Subtle
SHAPE



Attractive
PRICE

technical data – sheet type 350/15; 350/20; 350/30; 400/20

embossing height	15 mm / 20 mm / 30 mm	module length	400 mm / 450 mm
profile height	38 mm / 43 mm / 53 mm	minimum sheet length	350 mm / 400 mm
usable width	1135 mm	max. recom. sheet length	6000 mm
overall width	1195 mm	minimum roof slope	14°



For colour schemes and information on protective coatings, see pages 42 – 43.
Maximum recommended sheet length assumed for a sheet thickness of 0.50 mm, more information on page 45.



Subtlety...

Looking at a roof and being able to imagine the waves of the sea. An interesting feeling that can become a reality if you choose the finely detailed **vena** roofing tile.

It doesn't matter whether you have a hip roof or a simple roof, we will prepare your sheets to size so that it will be just right.

seam panel
– use modern
solutions
wisely



Remember that we provide you with security for years and:

- five available embossment types to let you choose the look of your roof,
- a range of prefabricated components for easy installation,
- innovative packaging that eliminates the risk of damaging the sheets.



When you need to enhance the beauty...

The **PHR 355 Revolution** narrow seam panel is a new product in the **PREMIUM** product range from **HANBUD**. To meet your needs, we give you even more possibilities to emphasise the uniqueness of your homes. Even more to create no limits when building your dream place. The new seam panel is...

... as perfect as the icing on the finest cake with a cherry on top.

PHR 355

Revolution seam panel


The **PHR 355 Revolution** narrow seam panel has:


- holes to suit the installation,
- various colours, coatings and finishes,
- a cover to ensure watertightness,
- adjusted screw holes,
- a unique snap lock.





technical data

profile height	27 mm
usable width	320 mm
overall width	355 mm
minimum sheet length	500 mm
maximum recommended sheet length	11000 mm
sheet thickness	0,5 mm; 0,7 mm
minimum roof slope	8°


Universal
APPLICATION


Made to
MEASURE


Install with
'CLICK' SYSTEM




For colour schemes and information on protective coatings, see pages 42 - 43.

Even more possibilities – the PHR 355 seam panel.

embossed finish

subtle embossing to emphasise the shape of the building and to stiffen the sheets




microwave finish

narrow longitudinal embossing that adds movement to the appearance of the entire panel




trapezoidal finish

a nod to tradition and the timeless elegance of metal roofing



The **PHR 560** and **PHR 355 Revolution** seam panels are first and foremost solutions for those looking for modern options. If you are open to new trends in the market, you have found the perfect product for you. Choose a finish and a seam panel width that is perfectly tailored to you. Comfortable and convenient for years to come.





Quality and satisfaction...

The **PHR 560 Revolution** seam panel is a **PREMIUM** product, technologically enhanced and adapted to the latest architectural trends.

Perfect, like the best quality coffee – properly prepared, it changes the perception of reality.

PHR 560

Revolution seam panel

It is true that the **PHR 560 Revolution** wide seam panel has:

- different types of holes to suit the installation,
- various colours, coatings and finishes,
- a cover to ensure watertightness,
- adjusted screw holes,
- a unique snap lock.

Guarantee
of QUALITY

front: **straight**
back: **straight**
Simple finish.

front: **holes**
back: **holes**
The holes allow the sheets
to be bent at a specific angle.

front: **bent**
back: **holes**

Types of holes

Factory bending means that there are
no visible joints between the sheets, enhancing
the aesthetics of the roof design. They prevent
water from leaking out during rainfall.


technical data

profile height	27 mm
usable width	525 mm
overall width	560 mm
minimum sheet length	500 mm
maximum recommended sheet length	11000 mm
sheet thickness	0,5 mm; 0,7 mm
minimum roof slope	8°

Universal
APPLICATION

Made to
MEASURE


Install with
'CLICK' SYSTEM



A wise choice for years to come – the PHR 560 seam panel.


embossed finish

subtle embossing




microwave finish

a simple and tasteful finish




trapezoidal-2 finish

shape that fits in with the latest trends



trapezoidal-4 finish

decorative
trapezoidal embossing



comfort
of choice
PHR
Revolution

DRIPSTOP



Protect
your space
from moisture.

SOUNDCONTROL
Acoustic isolation



Ensure your
comfort and
reduce noise
by up to 34%.

For colour schemes and information on protective coatings, see pages 42 - 43.

flashing

PHR Revolution panel na rąbek

Your house will be an eye-catcher.


To have your roof professionally done means to refine it to the smallest detail, from every possible angle. Properly executed flashings are the best solution for years to come, guaranteeing comfort, safety and peace of mind.




PHR straight ridge tile



PHR troughed ridge tile




PHR mono-pitched roof termination




PHR straight gutter flashing




PHR troughed gutter flashing




PHR large troughed gutter flashing




PHR straight
verge trim




PHR pulled trim



PHR wind brace




PHR valley gutter



PHR joining flashing



PHR side joining flashing




PHR small wind brace




PHR large wind brace



PHR joining flashing



PHR ridge tile flashing





troughed sheet – simple solutions

Often the most appropriate.


When you need to cover your house, garage, shed, utility room or other building quickly and efficiently – do it yourself by choosing the right sheet metal.

You can choose from a wide range of possibilities, colours and embossments. Virtually unlimited.



HANBUD troughed sheet is, above all:

- simple and quick to install,
- a wide range of colours and coatings,
- availability of sheets not only in grade I, but also in grade II, which is a guarantee of economical solutions.





T18N



roof
façade

technical data

profile height	18 mm
usable width	1090 mm
overall width	1139 mm
max. recom. sheet length	7500 mm
minimum sheet length	500 mm



universal
use

T18E




roof
façade

technical data

profile height	18 mm
usable width	1138 mm
overall width	1185 mm
max. recom. sheet length	7400 mm
minimum sheet length	500 mm

For colour schemes and information on protective coatings, see pages 42 – 43.
Maximum recommended sheet length assumed for a sheet thickness of 0.50 mm,
more information on page 45.





T3



façade

technical data

profile height	3 mm
usable width	1200 mm
overall width	1244 mm
max. recom. sheet length	2300 mm
minimum sheet length	500 mm




T35R



roof

technical data

profile height	32 mm
usable width	1110 mm
overall width	1143 mm
max. recom. sheet length	9500 mm
minimum sheet length	500 mm




T7



façade

technical data

profile height	7 mm
usable width	1185 mm
overall width	1220 mm
max. recom. sheet length	5000 mm
minimum sheet length	500 mm




T35



roof
façade

technical data

profile height	35 mm
usable width	1050 mm
overall width	1080 mm
max. recom. sheet length	10000 mm
minimum sheet length	500 mm





T14R



roof

technical data

profile height	14 mm
usable width	1130 mm
overall width	1170 mm
max. recom. sheet length	6700 mm
minimum sheet length	500 mm





T55



roof
façade

technical data

profile height	55 mm
usable width	1030 mm
overall width	1070 mm
max. recom. sheet length	11000 mm
minimum sheet length	500 mm





T14R classic



roof

technical data

profile height	14 mm
usable width	1130 mm
overall width	1170 mm
max. recom. sheet length	6700 mm
minimum sheet length	500 mm



C14



roof

technical data

profile height	11,8 mm
usable width	1172 mm
overall width	1205 mm
max. recom. sheet length	6700 mm
minimum sheet length	500 mm

For colour schemes and information on protective coatings, see pages 42 - 43.
Maximum recommended sheet length assumed for a sheet thickness of 0.50 mm,
more information on page 45.

flashing

modular metal roofing tiles
made-to-measure
metal roofing tiles
troughed sheet


The beauty is in the detail...

Sometimes one small element can ruin a promising overall effect. Our roof flashings emphasise the unique character of a building. A specially developed system ensures that all the elements of a roof are optimally compatible.


Well-made flashings guarantee the comfort, safety and aesthetics of the roofing.



valley gutter



gutter flashing



wall flashing




chimney flashing



lower wind brace




upper wind brace




panel wind brace




embossed cascade ridge



barrel ridge



straight ridge



straight cascade ridge



snow guard



colours

POLAR**MAT**



Premium Anthracite



Premium Brown

GREENCOAT[®] *Crown BT*



Grey RR2H3



Brown RR887



RAL 8004



RAL 3011



RAL 8019



RAL 6020



RAL 8017 ***



RAL 9005 ***



RAL 7016 ***

gloss*



RAL 8004



RAL 3011



RAL 8019



RAL 7016



RAL 8017



RAL 3005



RAL 6005



RAL 9005



RAL 9010



RAL 9002



RAL 9006



RAL 9007

aluzinc



galvanized**



* does not apply to **retto/argilla** models
** only applies to troughed sheets
*** available for the PHR355 seam panel, other colors and coatings available only on individual order

The colours are for preview purposes only and do not constitute grounds for complaint.
The manufacturer allows for differences in shades between individual batches.

protective coatings



POLARMAT****

- 1. Finish modified polyurethane
- 2. Backing layer
- 3. Chemical treatment
- 4. Zinc coating
- 5. Steel core
- 6. Thick bottom layer – 12 µm



GREENCOAT[®] Crown BT

- 1. Organic oily coating
- 2. Backing layer
- 3. Chemical treatment
- 4. Zinc coating
- 5. Steel core
- 6. Two-layer protective coating



matt

- 1. Polyester/polyamide coating
- 2. Backing layer
- 3. Surface treatment
- 4. Zinc coating
- 5. Steel core



gloss

- 1. Polyester coating
- 2. Backing layer
- 3. Surface treatment
- 4. Zinc coating
- 5. Steel core



aluzinc

- 1. SPT Easyfilm clear protective varnish
- 2. Aluminium and zinc layer
- 3. Steel core



	GREENCOAT	PolarMAT	matt	gloss	aluzinc
Technical warranty	50 year	50 year	20 year	10 year	10 year
Aesthetic warranty	25 year	25 year	-	-	-
Paint coating	organic (SSAB patent)	modified polyurethane	polyester/polyamide	polyester	-
Coating thickness	26 µm	45 µm	35 µm	25 µm	-
UV resistance	RUV3	RUV4	RUV2	RUV2	-
Corrosion resistance	RC5	RC5	RC4	RC3	-

comfort of choice

Safeguard yourself from things that disturb your peace of mind.

Not all things are within our control, not everything that is troublesome can be eliminated. Some things we simply have to accept. Noise or condensation are phenomena that can be very disruptive. Fortunately, they can be reduced and you can enjoy peace and quiet under your own roof.


Learn about the **SOUNDCONTROL** and **DRIPSTOP** solutions.



Acoustic matting

The noise created when rain falls on a steel roof is a discomfort to residents. **SOUNDCONTROL** acoustic matting is the ideal solution to the problem – the insulating layer helps reduce noise levels, providing greater comfort for building occupants.

The effectiveness of the **SOUNDCONTROL** acoustic matting used has been confirmed by a research institute. Studies have confirmed that **SOUNDCONTROL** acoustic matting can reduce noise levels by up to 8 dB (up to 34%).



During installation, the **SOUNDCONTROL** acoustic matting should be removed from areas that do not provide an air outlet, i.e:

- sections of the roofing directly above the wall and outside the perimeter of the building,
- overlapping joints.



Anti-condensation mat

Vapour build-up is a problem for many buildings. Particularly areas with large temperature and humidity differences. This can lead to corrosion of the roofing and even damage to the building structure.

The solution to this problem is the **DRIPSTOP** anti-condensation mat, which absorbs water vapour and prevents it from condensing. This is particularly beneficial in the case of uninsulated roofs, where increased condensation is observed.



technical parameters

Cutting table for roofing tiles argilla, moderna, vena (15/20)		
number of modules	full-module lengths [mm]	
	module 350	module 400
1	470	520
2	820	920
3	1170	1320
4	1520	1720
5	1870	2120
6	2220	2520
7	2570	2920
8	2920	3320
9	3270	3720
10	3620	4120
11	3970	4520
12	4320	4920
13	4670	5320
14	5020	5720
15	5370	6120
16	5720	6520
17	6070	6920
18	6420	7320
19	6770	-
20	7120	-

Overlap for full-module lengths 12 cm.

Cutting table for roofing tiles claro, vena embossing 15 mm / 20 mm / 30 mm		
number of modules	full-module lengths [mm]	
	module 350	module 400
1	400	450
2	750	850
3	1100	1250
4	1450	1650
5	1800	2050
6	2150	2450
7	2500	2850
8	2850	3250
9	3200	3650
10	3550	4050
11	3900	4450
12	4250	4850
13	4600	5250
14	4950	5650
15	5300	6050
16	5650	6450
17	6000	6850
18	6350	7250
19	6700	-
20	7050	-

IMPORTANT! Plant for long full modules for vena metal roofing tiles it is 5 cm.

Table of troughed sheet lengths			
symbol	minimum length [mm]	recommended maximum length [mm]	
	#0,47 mm #0,50 mm	#0,47 mm	#0,50 mm
T-3	500	2000	2300
T-7	500	5000	5000
T-14R	500	6500	6700
T-14R classic	500	6500	6700
T-18N	500	7000	7500
T-18E	500	7000	7400
T-35	500	9000	10000
T-35R	500	8000	9500
T-55N	500	10000	11000

Table of metal roofing tile lengths			
model	minimum length [mm]	recommended maximum length [mm]	
	#0,47 mm #0,50 mm	#0,47 mm	#0,50 mm
argilla 350/30	470	5000	5000
argilla 400/30	520	-	5000
malta 350/30	470	5000	5000
malta 400/30	520	5000	5000
vena 350/15/20/30	400	5700	6000
vena 400/20	450	5700	6000
claro 350/25	400	5000	5000
claro 400/25	450	5000	5000

The minimum and maximum lengths of individual products may change for technological reasons. It is advisable to check the offered lengths on the B2B platform, which is regularly updated.

it won't do itself – how do we do it?

People, our best investment...

It is their commitment and competence that make up the strength of the products that we can all enjoy.

Nothing inspires as much as trust, which we try to strengthen every day, guaranteeing shared success in the projects we carry out.

In the beginning there was a circle... a circle of steel :)
....and then it was downhill all the way.
There would have been no spaceflight without steel.
Europe and the world as a whole would not be where they are today without steel.



1. people, competences



2. mission

The constant desire to grow, being open to change and recognising the needs of the market are key principles for us.

That is why, year after year, we try to set trends that take us step by step closer to our goals.

We want everyone to be able to realise the dream of their own home through our products.

The basis of quality, durability, satisfaction...

For years we have been rising to the challenge and delivering products that are perfected in every way.

Modernity has arrived in our production halls. Continuous development means not only the development of personnel, but also the automation of production processes. A separate research and development and machine manufacturing division allows us almost unlimited development possibilities.

This also makes us flexible and easily adaptable to a changing environment.

It is a well-known fact that...
as automation moves forward, so do standards – we have been meeting them for years, and they are among the most demanding.

3. production



4. logistics

We like to travel both near and far, preferably in cars loaded to the brim with goods. We do this with undisguised satisfaction, on time and with smiles on our faces. We deliver to points of sale and direct customers.

This is made possible by our own logistics base, which travels around the globe 60 times each year. We would be delighted to make you one of the stops on our route.

Europe and the world is wide open to us, no matter where you point your destination. Australia, Japan, Romania, Germany or Kurian. We will deliver.

➤ **25 company trucks.** Every day we deliver goods with a total weight of 165 tonnes.

➤ **We circle the globe 5 times in a month.** Our vehicles cover more than 200,000 km per month.

➤ **We fulfil 5,500 orders per month.**

➤ **We make 100 tours every week.**



Roofing catalogue
for *smart* builders